


Mecca

Freestanding Bath Mixer


Square Shape

Nero



Versions:202506

Drawing



Specifications

Watermark License
WM-060073
Temperature Rating
Min 1°C-Max 75°C
Pressure Rating
Min 150kpa - Max 500kpa

Packaging Includes

- 1x Mixer Tap
- 1x Extension Tube
- 1x Floor Cover Plate
- 2x Water Pipes
- 1x Mixer Box
- 1x Gloves
- 4x Dynabolts
- 1x Instruction
- 1x Allen Key Pack
- 1x Leveling Plate
- 1x Gradiometer
- 1x Testing Plugs

Finish & SKU


- | | | |
|---|--|--|
|  Chrome NR221903bCH |  Gun Metal NR221903bGM |  Brushed Bronze NR221903bBZ |
|  Matte Black NR221903bMB |  Brushed Gold NR221903bBG |  Brushed Nickel NR221903bBN |

*Dimensions are nominal measurements only.

Installation Instruction

Please inspection all spare parts list when you open box,if any problem,please contract with seller. Spare parts list as follow.

| Item | Parts Name | QTY |
|------|-------------------|-----|
| 1 | Mixer Tap | 1 |
| 2 | Extension Tube | 1 |
| 3 | Floor Cover Plate | 1 |
| 4 | Water Pipes | 2 |
| 5 | Mixer Box | 1 |
| 6 | Dynabolt | 4 |
| 7 | Gloves | 1 |
| 8 | Instruction | 1 |
| 9 | Allen Key Pack | 1 |
| 10 | Leveling Plate | 1 |
| 11 | Gradiometer | 1 |
| 12 | Testing Plugs | 1 |



Notice: Not recommend to be installed on concrete slab

146
100
50
155
180
2-G1/2

1.Mixer box should not finish more than 2mm above finish tile level

$\phi 125 (4-8D \geq 65)$
 $D \leq 46$

2.Connect hot and cold water use materials recommended Australian standard

1
2
3
4

3.Adjust mixer box make sure in a level by gradiometer provided

4.Test and check for water leaks

5.Undo 4 grub screws on the leveling plate and take out the gradiometer and testing plug.

leveling plate
gradiometer
testing plugs

6.Attach the leveling plate onto the extension tube by provided grub screws

1
2
3
4

7.Screw hot and cold water pipes into the mixer body

1
2

8.Fit floor cover plate onto the extension tube

9.Screw the extension tube onto the mixer, and fix hot and cold water pipers into mixer box by M5 grub screws provided

10.Flush pipes work and test, check for water leaks.

1
2
3
4

Nero

