
Classic Care Shower Mixer Extended Handle






Lead Free



Versions:202506

Drawing



Specifications

Watermark License WM-060073

Temperature Rating Min 1°C-Max 75°C

Pressure Rating

Min 150kpa - Max 500kpa

Packaging Includes

- 1x Body Set
- 1x Plate
- 1x Care Handle
- 1x Installation Kit

Finish & SKU

Chrome NR110009eCH


Installation Instruction

IMPORTANT: Read all instructions before installing.

General:

- 1. Nero recommends this product is installed by a licensed plumber in compliance with all relevant regional regulations.
- 2. Do not hydrostatic test the installation with this mixer installed. Damage to the ceramic cartridge may occur.
- 3. All pipe work must be thoroughly flushed prior to the installation of the mixer.
- 4. Do not remove the ceramic cartridge from the mixer when installing.
- 5. After installation all connections must be checked for leaks.
- 6. All outlets used primarily for personal hygiene shall deliver water at a safe temperature as per regional regulations.
- 7. This mixer is not recommended for use in uncontrolled heating systems such as wet-backs or solar heating units unless a suitable tempering valve is fitted.
- 8. It is the responsibility of the installer to ensure a waterproof seal is achieved between the product and mounting surface. If in doubt about the quality of the seal, remove the product and reinstall.

Steps:



- 1. Install mixer body into wall cavity. Refer to diagram 1 above for setting depth of mixer body in relation to finished wall face.
- 2. Connect all pipe work as per diagram 2 above.
- 3. Pressure test for leaks then proceed to waterproof installation.
- 4. Remove protective sleeve and install decorator plate.
- 5. Install handle.
- 6. Operate mixer.



