


Ecco Shower Mixer Trim Kits Only

Nero



Lead Free




Versions:202506

Drawing	Specifications	Packaging Includes						
	Watermark License WM-060073 Temperature Rating Min 1°C-Max 75°C Pressure Rating Min 150kpa - Max 500kpa Finish & SKU <table><tr><td> Chrome NR301311tCH</td><td> Gun Metal NR301311tGM</td><td> Brushed Nickel NR301311tBN</td></tr><tr><td> Matte Black NR301311tMB</td><td> Brushed Gold NR301311tBG</td><td></td></tr></table>	Chrome NR301311tCH	Gun Metal NR301311tGM	Brushed Nickel NR301311tBN	Matte Black NR301311tMB	Brushed Gold NR301311tBG		1x Plate 1x Handle 1x Cartridge Bell 1x Dressing Ring
Chrome NR301311tCH	Gun Metal NR301311tGM	Brushed Nickel NR301311tBN						
Matte Black NR301311tMB	Brushed Gold NR301311tBG							

*Dimensions are nominal measurements only.

Installation Instruction For Trim Kits Only




1. Drill a $\varnothing 50\text{mm}$ hole in the ceramic tile, then position it as shown in the above diagram.

2. Undo the self-tapping screw, washer, plastic sleeve.
3. Insert the O ring to the dressing bell groove, and slide the dressing bell onto cartridge.

4. Apply waterproof treatment to the area in the diagram above.

5. Tighten the dressing ring on the dressing bell.



6. Slide the backplate onto the wall.
7. Attach the washer to the cartridge rod, position the handle, tighten it with a grub screw using an Allen key, and cap the grub screw hole.

Nero

